

CCS Contract Corded System - Component Price List

| PRODUCT CODE | PRODUCT DESCRIPTION | PER BOX | UNIT PRICE |
|--------------|--------------------------------------|-------------|------------|
| 780090A | CCS 6.1mts Aluminium Track White | 20 x 6.1mts | |
| 780073 | CS / CCS Carrier White | 200 | |
| 780099 | CCS Master Carrier Overlap | 15 | |
| 780100 | CCS Master Carrier Underlap | 15 | |
| 780093 | CCS Cord Connector | 100 | |
| 780094 | CCS Reversible Pulley White | 25 | |
| 780025A | CKS / CCS 250mts Traverse Cord | 250mts | |
| 780075 | CS Economy Slide White | 500 | |
| 780076 | CS Ball Bearing Carrier Slimline | 100 | |
| 780085 | CCS Extension Arm For Master Carrier | 50 | |
| 780041 | White Cord Weight | 100 | |
| 780027 | CKS/CCS Metal Tension Pulley- White | 25 | |
| 780084 | Click On Splice/Joiner | 50 | |

CCS Contract Corded System - Starter Pack

| PRODUCT CODE | PRODUCT DESCRIPTION | QUANTITY | PRICE |
|--------------|--|---|-------|
| 780090A | CCS 6.1mts Aluminium Track White | 30.5mts | |
| 780073 | CS / CCS AS Carrier White | 200 | |
| 780099 | CCS Master Carrier Overlap | 15 | |
| 780100 | CCS Master Carrier Underlap | 15 | |
| 780093 | CCS Cord Connector | 100 | |
| 780094 | CCS Reversible Pulley White | 25 | |
| 780025A | CKS / CCS 250mts Traverse Cord | 250mts | |
| 780008 | KS Smart Klick Ceiling Bracket | 50 | |
| 780012 | Smart Klick Aluminium Bracket 75mm Single | 50 | |
| | CCS Contract Corded Track Systems Starter Pack On Average This Starter Kit Makes 15 Tracks at 2 Metres. | Total Cost Approximate Cost per Track | |

CCS Contract Corded System - Made to Measure Prices

| TRACK TYPE TRACK WIDTH | 790804 CCS CORDED TRACK | 790803 CCS CORDED TRACK WITH RIPPLEFOLD SYSTEM |
|---------------------------|----------------------------|---|
| 1.0mts | | |
| 1.5mts | | |
| 2.0mts | | |
| 2.5mts | | |
| 3.0mts | | |


Note: All quoted prices include all the relevant components and, for the purposes of this price guide, have been calculated using the ceiling fix brackets. Wall fix brackets, cord weights and tension pulleys quoted for separately. All tracks quoted are finished in white.

Bracket Options

| PRODUCT CODE | PRODUCT DESCRIPTION | PER BOX | UNIT PRICE |
|--------------|--|---------|------------|
| 780007 | Ceiling Bracket White | 100 | |
| 780008 | Smart Klick Ceiling Bracket | 100 | |
| 780009 | Smart Klick Double Ceiling Bracket | 30 | |
| 780010 | Smart Klick Wall Bracket 35mm White | 50 | |
| 780011 | Smart Klick Wall Bracket 60mm White | 50 | |
| 780012 | Smart Klick Aluminium Bracket 75mm single | 20 | |
| 780013 | Smart Klick Aluminium Bracket 100mm single | 20 | |
| 780014 | Smart Klick Aluminium Bracket 150mm double | 15 | |
| 781022 | Smart Klick Adjustable Bracket White | 25 | |

PRODUCT INFORMATION

- Heavy duty cord traverse system, with separate internal cord channels; preventing cord sag and eliminating cord tangle.
- Bendable; it can be curved and reverse curved with a 20 cm radius or continuous curve.
- Heavy duty clickable carriers - 5 carriers on a breakaway strip - UV protected.



- Can also be used for ripplefold.
- Maximum fabric weight: 6 kg per metre.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Limited lifetime warranty.

BENDING/CURVING


The track can be curved and reverse curved using a 20cm radius. Continuous curving can be done with the electric powered bender or by special order from factory.



Bending and assembly instruction leaflets enclosed.


PROFILE

Weight: 300 gram per metre
Aluminium extrusion 6063 T5
Dimensions: 20 mm x 20 mm







FOR USE IN

Hotels - motels - offices - healthcare - schools - residential or anywhere a heavy duty cord traverse system is required.




- 1 Carrier 780073
- 2 Master carrier underlap 780100
- 3 Traverse cord 780025A
- 3 Master carrier overlap 780099
- 5 Cord connector 780093
- 6 CCS Track 780090A
- 7 End pulley 780094

APPLICATIONS




MOUNTING BRACKETS

Ceiling Bracket 780008




Wall bracket aluminium single
780012 A) 7.5cm : B) 6.3cm
780013 A) 10cm : B) 8.8cm



A) Min. 20cm




Wall bracket aluminium double
780014 A) 15cm : B) 9.2cm C) 4.5cm
A) 20cm : B) 9.2cm C) 9.5cm



A) Min. 20cm



Wall bracket aluminium triple
25cm



- Adjustable bracket available 781022
- Two brackets at each end 60cm apart and up to 95cm over remainder of track depending on weight of treatment.



PS Panel System - Component Price List

| PRODUCT CODE | PRODUCT DESCRIPTION | PER BOX | UNIT PRICE |
|--------------|---|-------------|------------|
| 781031A | PS 4 Track 5.8mts Aluminium Track White | 10 x 5.8mts | |
| 781032A | PS 5 Track 5.8mts Aluminium Track White | 10 x 5.8mts | |
| 781033A | PS 6 mt Velcro Track | 10 x 6mts | |
| 781038 | PS Endcap 3 / 4 / 5 Glide White | 20 | |
| 781046 | PS Cover for Endcap 3 / 4 / 5 Glide White | 20 | |
| 781043 | PS Guide L / R 4 Track Pulley | 20 | |
| 781044 | PS Guide L / R 5 Track Pulley | 20 | |
| 780025A | KS / CCS 250 mt Traverse Cord | 250mts | |
| 781045 | PS Cord Connector White | 20 | |
| 781037 | PS Metal Screw Endstop White | 20 | |
| 781034 | PS Endcap with Screw for Velcro | 100 | |
| 781039 | PS L Angle Plastic White | 100 | |
| 781040 | PS T Angle Plastic White | 100 | |
| 781035 | PS Standard Roller Glide White | 100 | |
| 781036 | PS Pilot Glide White | 20 | |
| 780029 | PS 6 mt Aluminium Counter Weight Bar | 10 x 6mts | |

PS Panel System - Starter Pack

| 4 TRACK | | | 5 TRACK | | |
|--------------|-------------|-------|--------------|-------------|-------|
| PRODUCT CODE | QUANTITY | PRICE | PRODUCT CODE | QUANTITY | PRICE |
| 781031A | 30 x 5.8mts | | 781032A | 30 x 5.8mts | |
| 781033A | 50 x 5mts | | 7810334 | 50 x 6mts | |
| 781038 | 20 | | 781038 | 20 | |
| 781046 | 20 | | 781046 | 20 | |
| 781043 | 20 | | 781044 | 20 | |
| 780025A | 250mts | | 780025A | 250mts | |
| 781045 | 20 | | 781045 | 20 | |
| 781042 | 50 | | 781052 | 50 | |
| 781037 | 20 | | 781037 | 20 | |
| 781034 | 100 | | 791034 | 100 | |
| 781039 | 100 | | 781039 | 100 | |
| 781040 | 100 | | 781040 | 100 | |
| 781035 | 100 | | 781035 | 100 | |
| 781036 | 20 | | 781036 | 20 | |

PS 4 Track Panel System Total Cost

PS 5 Track Panel System Total Cost

PS Panel System - Price Guide

| WIDTH | 4 TRACK HANDDRAWN | 4 TRACK CORDED | 5 TRACK HANDDRAWN | 5 TRACK CORDED |
|---------|-------------------|----------------|-------------------|----------------|
| 1.50mts | | | | |
| 3.00mts | | | | |
| 4.50mts | | | | |
| 5.8mts | | | | |

Note: All quoted prices include all the relevant components and, for the purposes of this price guide, have been calculated using the ceiling fix brackets. Wall fix brackets and batons quoted for separately. All tracks quoted are finished in white.

Bracket Options

| PRODUCT CODE | PRODUCT DESCRIPTION | PER BOX | UNIT PRICE |
|--------------|--|---------|------------|
| 781042 | PS Standard Ceiling Bracket 4 Track | 50 | |
| 781052 | PS Swivel Ceiling Bracket 5 Track | 50 | |
| 781053 | PS Adjustable Wall Bracket 4 and 5 Track | 50 | |

Panel Stacking & Fixing Options - Product Codes

| KEY | 4 TRACK HANDDRAWN | 4 TRACK CORDED | 5 TRACK HANDDRAWN | 5 TRACK CORDED |
|----------------------|--------------------|---------------------|--------------------|---------------------|
| H/D Hand Drawn | 790001 L/S H/D C/F | 790003 L/S CORD C/F | 790101 L/S H/D C/F | 790103 L/S CORD C/F |
| C/F Ceiling Fix | 790002 R/S H/D C/F | 790004 R/S CORD C/F | 790102 R/S H/D C/F | 790104 R/S CORD C/F |
| F/F Face Fix | 790007 L/S H/D F/F | 790009 L/S CORD F/F | 790105 L/S H/D F/F | 790107 L/S CORD F/F |
| L/S Left Side Stack | 790008 R/S H/D F/F | 790010 R/S CORD F/F | 790106 R/S H/D F/F | 790108 R/S CORD F/F |
| R/S Right Hand Stack | 790011 M/D H/D C/F | 790012 M/D CORD C/F | 790109 M/D H/D C/F | 790110 M/D CORD C/F |
| M/D Middle Draw | 790013 M/D H/D F/F | 790014 M/D CORD F/F | 790111 M/D H/D F/F | 790112 M/D CORD F/F |

As well as providing our PS Panel Track Systems in both component and assembled form, Evans Textiles Limited provide a full panel laminating service.

All panels are individually tailored and custom made to fit exactly the dimensions of your selected panel system.

Either using Evans Textiles' Evasuede or your own fabric, panels are laminated to a 3Pass Blackout (either in Cream or White to your specification) which is supplied in a flame retardant finish (Type B requirement BS5867: Part 2 1980), the effect of which is to make the complete panel flame retardant whether or not the face fabric has been treated.

All face fabrics are pre-cured to remove any residual shrinkage prior to laminating.

All panels are supplied with the Evans Textiles' Gripedge system which has a two fold benefit. Firstly it prevents any curling due to uneven moisture pick up from the atmosphere. Secondly it provides a firm Gripedge which facilitates ease of glide for the panels as they are drawn.

All panels are supplied ready to hang, complete with Velcro top tape and counterweight bars.

The system allows for the creation of a fully co-ordinated décor, created without the need for the retailer to be involved in the production of panels.



Please see your Panel Order Sheet for further details or speak to our sales staff.



Ceiling Brackets



EXAMPLES OF PANEL RUNNER ORDERS STACK ORDERS AND RUNNING DIRECTIONS



PANEL TRACK ORDER FORM

Customer _____

Address _____ Delivery Address (if different) _____

Post Code _____ Post Code _____

Contact _____

Tel _____ Fax _____ E-mail _____

DATE

QUOTE REQUIRED

CONFIRMED ORDER

TRACK SYSTEM

4 TRACK SYSTEM..... 5 TRACK SYSTEM.....

TRACK WIDTH..... cms RECESS WIDTH ... cms RECESS DROP..... cms

MANUAL/HAND DRAWN CORDED

LEFT SIDE OPERATION LEFT SIDE OPERATION

RIGHT SIDE OPERATION RIGHT SIDE OPERATION

MIDDLE OPERATION MIDDLE OPERATION

BATON LENGTH cms CORD LEFT/RIGHT.....

CORD DROP..... cms

CORD WEIGHT.....

TENSION PULLEY.....

PANELS/FABRIC

NUMBER OF PANELS ...

CUSTOMER'S OWN MATERIAL _____ REF/COLOUR _____ PRICE _____

EVASUEDE _____ REF/COLOUR _____ PRICE _____

SPECIAL INSTRUCTIONS

IMPORTANT NOTE: For Customer's Own Materials orders a trial lamination is advised to ascertain suitability on bonding and differential shrinkage. Please send 0.5mtr of the specific face fabric for trial purposes prior to confirmation of order. Please advise face fabric reference and colourway together with any special design/pile direction requirements. While every due care and attention will be carried out during the lamination and cutting process please be advised that supplied face fabrics are at the customer's own risk.

Please photocopy and fax to 0161 274 4070

