

Red hot reliability

Evans Contract Linings

When you need all the features of high quality curtain linings, but must also satisfy British Standards for flame retardancy, Evans contract linings should be your first choice.

Our wide range of both cotton and polyester linings, plus blackout, interlining and voile ensures that we can cater for a variety of requirements.

The consistent quality of the range is backed by the consistent quality of our service. We're well aware of the pressures faced by developers and are perfectly placed to deliver on time and on budget, every time.

- Conforms to British Standards for flame retardancy
- Products to suit low, medium and high hazard areas
- Wide choice of lining types
- Drapery and bedding applications
- Batch to batch consistency

We're the people behind reliable fire conformity

CONTRACT LININGS








CONTRACT FLAME RETARDANT BLACKOUT LININGS

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56148 - 2 Pass	Standard Softdrape Flame Retardant 100% Blackout Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	50mts Rolled Full Width
56900 - 3 Pass	Softdrape English Flame Retardant 100% Blackout Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	50mts Rolled Full Width
56906 - 3 Pass	Softdrape English Flame Retardant 100% Blackout Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	White	50mts Rolled Full Width
56146 - 3 Pass	Standard Flame Retardant 100% Blackout Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	50mts Rolled Full Width
56145 - 3 Pass	Standard Flame Retardant 100% Blackout Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	White	50mts Rolled Full Width

CONTRACT FLAME RETARDANT COTTON SATEEN LINING

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56015PFR	SD1 Deluxe 100% Cotton Sateen Sundown Finish, Durable Flame Retardant (Washable and Dry clean) Conforms to BS 5867 - 2: 2008 Type B.	137cms / 54"	Cream	90mts Rolled Full Width
56015FR	SD1 Deluxe 100% Cotton Sateen Sundown Finish, Non Durable Flame Retardant (Dry clean only) Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	90 mts Rolled Full Width
56014FR	SD1 Deluxe 100% Cotton Sateen Sundown Finish, Non Durable Flame Retardant (Dry clean only) Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	90 mts Creased Half Width
56014FR-I	S1 100% Cotton Sateen Finish, Non Durable Flame Retardant (Dry clean only) Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	50 mts Rolled Full Width

CONTRACT COLOURED SATEEN COLLECTION

SHADE	PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	MAKE-UP
 Light Beige	56775FR	Conforms to BS 5867 - 2: 2008 Type B 100% Cotton Sateen Finish Non Durable Flame Retardant	137cms / 54"	50mts Rolled Full Width
 Fern	56080FR	(Dry clean only)	137cms / 54"	50mts Rolled Full Width
 Spice	56060FR		137cms / 54"	50mts Rolled Full Width
 Jade	56083FR		137cms / 54"	50mts Rolled Full Width
 Autumn	56070FR	For shade matching please consult our web site at www.evans-textiles.com	137cms / 54"	50mts Rolled Full Width
 Navy	56089FR		137cms / 54"	50mts Rolled Full Width
 Black	56067FR		137cms / 54"	50mts Rolled Full Width

CONTRACT LININGS

CONTRACT BLACKOUTS/DIMOUTS – SELF LINED DRAPES






CONTRACT FLAME RETARDANT EVASUEDE BLACKOUT - SELF LINED DRAPES

SHADE	PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	MAKE-UP
 Cream	56248	Evasuede Blackout Suitable for Domestic and Contract self lined Drapes	147cms /58"	25mts Rolled Full Width
 Oatmeal	56251	100% Suede blackout Energy saving heat insulator Noise pollution reducer	147cms /58"	
 Brown	56245	Flame retardant Conforms to BS 5867 - 2: 2008 Type B	147cms /58"	
 Beige	56242		147cms /58"	
 Tan	56252		147cms /58"	
 Ice	56250		147cms /58"	
 Gold	56249		147cms /58"	
 Blanc	56241		147cms /58"	
 Blue	56244		147cms /58"	
 Clover	56247		147cms /58"	
 Burgundy	56246		147cms /58"	
 Black	56243		147cms /58"	
 Silver	56240		147cms /58"	

FLAME RETARDANT TAPE

PRODUCT CODE	PRODUCT DESCRIPTION	SHADE	WIDTH	UNIT OF PURCHASE METRES
76338	Inherent Flame retardant woven pocket Tape	White	76mm	50
76330	D24 Woven pockets Flame retardant Tape	White	76mm	50
76387	Inherent Flame retardant woven pocket Tape	Cream	28mm	100

CARE INSTRUCTIONS

WASHING INSTRUCTIONS	 (Not applicable to dry-clean only products)    
CLEANING INSTRUCTIONS	Care should be taken to: <ul style="list-style-type: none"> remove curtain hooks and any accessories before cleaning cool iron the fabric face only We recommend GreenEarth by Johnsons the Cleaners. Contact 0870 730 7777 for your local specialist dry cleaner.

CONTRACT LININGS

CONTRACT BLACKOUTS/DIMOUTS – SELF LINED DRAPES






CONTRACT TWILIGHT FLAME RETARDENT WOVEN DIMOUT – SELF LINED DRAPES

100% Polyester Woven Dimout, 300gsm in 15 Original Colours

SHADE	PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	MAKE-UP
 Sand	56366	Twilight 59" Woven Dimout FR Colour 1 Sand	59"/150cms	50mts Rolled Full Width
 Gold	56367	Twilight 59" Woven Dimout FR Colour 2 Gold	59"/150cms	50mts Rolled Full Width
 Burnt Sienna	56368	Twilight 59" Woven Dimout FR Colour 3 Burnt Sienna	59"/150cms	50mts Rolled Full Width
 Sea Green	56369	Twilight 59" Woven Dimout FR Colour 4 Sea Green	59"/150cms	50mts Rolled Full Width
 Aqua Green	56370	Twilight 59" Woven Dimout FR Colour 5 Aqua Green	59"/150cms	50mts Rolled Full Width
 Mint Green	56371	Twilight 59" Woven Dimout FR Colour 6 Mint Green	59"/150cms	50mts Rolled Full Width
 Walnut	56372	Twilight 59" Woven Dimout FR Colour 7 Walnut	59"/150cms	50mts Rolled Full Width
 Magenta	56373	Twilight 59" Woven Dimout FR Colour 8 Magenta	59"/150cms	50mts Rolled Full Width
 Maroon	56374	Twilight 59" Woven Dimout FR Colour 9 Maroon	59"/150cms	50mts Rolled Full Width
 Indigo	56375	Twilight 59" Woven Dimout FR Colour 10 Indigo	59"/150cms	50mts Rolled Full Width
 Artic Blue	56376	Twilight 59" Woven Dimout FR Colour 11 Artic Blue	59"/150cms	50mts Rolled Full Width
 Slate Grey	56377	Twilight 59" Woven Dimout FR Colour 12 Slate Grey	59"/150cms	50mts Rolled Full Width
 Royal Blue	56378	Twilight 59" Woven Dimout FR Colour 13 Royal Blue	59"/150cms	50mts Rolled Full Width
 Navy	56379	Twilight 59" Woven Dimout FR Colour 14 Navy	59"/150cms	50mts Rolled Full Width
 Black	56380	Twilight 59" Woven Dimout FR Colour 15 Black	59"/150cms	50mts Rolled Full Width

Conform to BS 5867 - 2: 2008 Type B & C
M1, B1, Class Uno, NFPA 701(Small Scale)

CARE INSTRUCTIONS

WASHING INSTRUCTIONS	    
CLEANING INSTRUCTIONS	<p>Care should be taken to:</p> <ul style="list-style-type: none"> • remove curtain hooks and any accessories before cleaning • cool iron the fabric face only <p>We recommend GreenEarth by Johnsons the Cleaners. Contact 0870 730 7777 for your local specialist dry cleaner.</p> <p>Under recommended dry cleaning conditions the fabrics will meet the requirements of BS5867 Part 1 (General Requirements for Curtains and Drapes), which specifies maximum of 3% shrinkage warp and weft.</p>

CONTRACT LININGS CONTRACT INTERLININGS AND 2 FOLD

CONTRACT FLAME RETARDANT COTTON INTERLINING

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56222	390gsm C367 Cotton Heavy Bump Interlining Non Durable Flame Retardant Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Natural	40mts Rolled Full Width
56233	285gsm E12 100% Cotton 2/2 Twill SHRUNK Interliner Non Durable Flame Retardant (Dry clean only) Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Natural	50mts Rolled Full Width
56232	260gsm E9 100% Cotton Interliner Non Durable Flame Retardant (Dry clean only) Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Natural	50mts Rolled Full Width


CONTRACT FLAME RETARDANT SYNTHETIC INTERLINING

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56211	220gsm SB112 Sarille Inherent Flame Retardant Synthetic Interliner Conforms to BS 5867 - 2: 2008 Type C	137cms / 54"	White	50mts Rolled Full Width

2 FOLD COLLECTION - BLACKOUT AND COTTON SATEEN COMBINED TO SARILLE

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56193	3 - Pass Softdrap Blackout Combined to Sarille. Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	25mts Rolled Full Width
56200	2 - Pass Softdrap Blackout Combined to Sarille. Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	25mts Rolled Full Width
56186	Permanent Flame Retardant Cotton Sateen Combined to Sarille. Conforms to BS 5867 - 2: 2008 Type B	137cms / 54"	Cream	35mts Rolled Full Width

CLEANING INSTRUCTIONS

WASHING INSTRUCTIONS		Ideally separate and dry clean only, we do not recommend washing or dry cleaning for made-up interlined curtains. For dry cleaning a 3% shrinkage allowance should be used.
----------------------	---	---

For Domestic
Interlinings & 2 Folds

See page 14 for details



CONTRACT LININGS

CONTRACT POLYESTER LININGS, VOILES AND SHOWER DRAPES

CONTRACT FLAME RETARDANT POLYESTER BEDSPREAD/QUILT LINING – EVAFLAM

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56305	TWP5 105GSM 100% Inherent Flame Retardant Polyester. Conforms to BS 5867 - 2: 2008 Type C	320cms / 126"	Ivory	110mts Rolled Full Width

CONTRACT FLAME RETARDANT POLYESTER LINING FOR DRAPES

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56307	TWP1 145gsm Inherent FR 100% Polyester Lining Conforms to BS 5867 - 2: 2008 Type C	140cms/55"	Cream	100 mts Rolled Full Width

CONTRACT FLAME RETARDANT WATERPROOF ANTI MOLD - ANTI BACTERIAL SHOWER DRAPE


PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56645	Plain Design - High Performance Shower Curtain Fabric Conforms to BS 5867 - 2: 2008 Type C	205cms	Plain White	50mts Rolled Full Width
56646	Stripe Design - High Performance Shower Curtain Fabric Conforms to BS 5867 - 2: 2008 Type C	205cms	Stripe White	50mts Rolled Full Width

CARE INSTRUCTIONS

WASHING INSTRUCTIONS					
CLEANING INSTRUCTIONS	Care should be taken to: <ul style="list-style-type: none"> remove curtain hooks and any accessories before cleaning cool iron the fabric face only We recommend GreenEarth by Johnsons the Cleaners. Contact 0870 730 7777 for your local specialist dry cleaner.		Under recommended dry cleaning conditions the fabrics will meet the requirements of BS5867 Part 1 (General Requirements for Curtains and Drapes), which specifies maximum of 3% shrinkage warp and weft.		

CONTRACT FLAME RETARDANT VOILE

PRODUCT CODE	PRODUCT DESCRIPTION	WIDTH	SHADE	MAKE-UP
56310	TWW1 Plain Sheer - 100% Inherent Flame Retardant Polyester Voile. Conforms to BS 5867 - 2: 2008 Type C	300cms/118"	White	60mts Folded and Rolled
56311	TWW1 Plain Sheer - 100% Inherent Flame Retardant Polyester Voile. Conforms to BS 5867 - 2: 2008 Type C	300cms/118"	Cream	60mts Folded and Rolled
56314	TWW1 Slub Sheer - 100% Inherent Flame Retardant Polyester Voile. Conforms to BS 5867 - 2: 2008 Type C	300cms/118"	White	60mts Folded and Rolled
56315	TWW1 Slub Sheer - 100% Inherent Flame Retardant Polyester Voile. Conforms to BS 5867 - 2: 2008 Type C	300cms/118"	Cream	60mts Folded and Rolled
56312	TWW1 Lead Weighted Plain Sheer - 100% Inherent Flame Retardant Polyester Voile. Conforms to BS 5867 - 2: 2008 Type C	300cms/118"	White	60mts Folded and Rolled
56313	TWW1 Lead Weighted Plain Sheer - 100% Inherent Flame Conforms to BS 5867 - 2: 2008 Type C	300cms/118"	Cream	60mts Folded and Rolled



For Domestic
Blackout Linings

See page 10 for details