



# **EVAGLIDE BATTERY ROMAN BLINDS**

---

## **BI DIRECTIONAL INSTRUCTIONS**

Version 1.0

**EVANS  
TEXTILES**



## Here to help

At Evans, we understand the importance of getting things right for you and your clients. That's why we've put together this easy to follow step-by-step guide to help make things easier for you.

In this guide we'll cover product types, assembly information and chronologically set out the instructions on how to put the product together. The guide is part of the 'Evans Difference' giving our customers expert support which is designed to be easy to follow and hassle free.

**“THE EVANS  
DIFFERENCE”**

### **To connect remote to headrail**

- Choose channel required on remote if a multi-channel remote.
- Press button located on motor for around 2 seconds – Motor will shunt – release button after 1<sup>st</sup> Shunt.
- *(This button is located in a small hole next the wire coming out of the motor)*
- You will also get this shunt when you first connect the battery to the motor.
- Within 10s Press and Hold Stop button for around 2 seconds until the motor shunts.
- Remote is now paired to Motor.

### **To Set Limits**

- Immediately after pairing the remote you will go into limit setting mode.
- Press the UP button once to move the blind up in Jog mode. (Short movements)
- Press and hold the UP button and the blind will move continuously.
- Press STOP when at the desired limit.
- Press and Hold STOP and UP together until the blind shunts. Upper limit is now set.
- Press the DOWN button once to move the blind down in Jog mode. (Short movements)
- Press and hold the DOWN button and the blind will move continuously.
- Press STOP when at the desired limit.
- Press and Hold STOP and DOWN together until the blind shunts. Lower limit is now set.

### **To Set middle Position**

1. Move blind to position you want to be the middle and press stop.
2. Press P2 button – blind will shunt.
3. Press stop blind will shunt. Press stop again and blind will shunt.
4. Limit is now set.
5. To move to middle position, hold the stop button for around 2-3 seconds.

**To copy to another remote**

- Remote A = remote already paired – remote B = Remote we wish to copy to.
- While on remote blind is paired to press P2 on remote. Blind will shunt. Press P2 again and blind will shunt.
- Press P2 on Remote B. Blind will shunt. Channel A is now copied onto remote B.

**To copy to another channel**

- Channel A = Channel already paired – Channel B = Channel we wish to copy to.
- While on channel blind is paired to press P2 on remote. Blind will shunt. Press P2 again and blind will shunt.
- Change to required channel.
- Press P2 on Channel B. Blind will shunt. Channel A is now copied onto Channel B.

**To remove all settings (This will remove pairing to remote)**

Press and hold button in Motor until 4<sup>th</sup> Shunt.

**To change motor direction**

Press and hold button in motor until 3<sup>rd</sup> Shunt.

- **To Fine Tune Limits after initial setting**
- Upper Limit – Press and hold STOP and UP together until blind shunts.
- Press UP or DOWN until at desired limit.
- Press UP AND STOP together until blind shunts. Upper limit now reset.
- Lower Limit – Press and hold STOP and DOWN together until blind shunts.
- Press UP or DOWN until at desired limit.
- Press DOWN AND STOP together until blind shunts. Lower limit now reset.

**Adjust motor speed** (please note factory default is at fastest speed)

- Press P2 button on remote. Blind will shunt.
- Press UP to increase speed OR press DOWN to decrease speed. Blind will shunt.
- Press UP to increase speed OR press DOWN to decrease speed. Blind will shunt again.
- If no shunt, then Motor is already running at that speed.

## WEBTEX ONLINE ORDERING

We understand life gets busy, often the working hours slip away and picking up the phone or emailing during office hours can be a hassle. That's why at Evans we try to make things easier, you can place your order online using our Webtex system whenever works for you and you'll enjoy lots of benefits...

### FAST

It only takes 5 minutes to put through an order online and if it's before 4pm on a weekday, we'll prioritise your order for a speedy delivery (excludes M2M items)

### EXCLUSIVITY

As a privilege to our customers, some of our products are available with a lovely little discount on our website. All M2M tracks and blinds on webtex receive an automatic 10% discount plus if you order 3 more, carriage if completely free of charge!

### SHOP 24/7

There is nothing easier or more comfortable than ordering your products with Evans Textiles from your own workplace, on the go or in the comfort of your own home 24 hours a day, seven days a week!

### DELIVERY THE VERY NEXT DAY

Evans Textiles delivers to the whole of the UK mainland and if you order by 4pm via Webtex we'll ensure your consignment gets to you the following day as standard (excludes M2M)

Evans Textiles (Sales) Ltd, Helmet Street, Manchester, M1 2NT

Registered in England No. 6186585 Part of the Evans Group of Companies



For more guides and videos visit [www.evans-textiles.com/resources](http://www.evans-textiles.com/resources)